Phone : 844-800-5377 Fax : 214-782-9155

RHEUMATOLOGY ORAL/SQ RX ENROLLMENT FORM

Referral Date: | Ship to: ☐ Home ☐ Office ☐ Other ____

PATIENT INFORMATION

Patient Name: | Date of Birth: | Gender:

Home Phone: | Cell Phone: | Email:

Address: | City: | State: | Zip:

Emergency Contact: | Emergency Phone:

INSURANCE INFORMATION

Please fax copy of prescription and insurance cards with this form if available (front and back)

Prior Authorization Reference Number: ____

DIAGNOSIS

☐ M06.9 Rheumatoid Arthritis

☐ M08.0 Juvenile Rheumatoid Arthritis

☐ M45.9 Ankylosing Spondylitis

☐ L40.59 Psoriatic Arthritis

☐ Other: ____

Date of Diagnosis: ____

Other Conditions: ____

PRESCRIBER INFORMATION

Prescriber Name: ____

DEA #: ____ NPI #: ____

Address: ____

City: ____ State: ____ Zip: ____

Phone: ____ Fax: ____

Contact Person: ____

CLINICAL INFORMATION

Patient Weight: ____ ☐ kg ☐ lbs

Allergies: ____

Current Medications: ____

CrCl: ____ Hepatitis B ruled out: ☐ Yes ☐ No

TB Test performed: ☐ Yes ☐ No Results: ____

Therapy ☐ New ☐ Reauthorization ☐ Restart

Prior Therapy: ____

Tx Response and Dates: ____

☐ Pharmacy to coordinate home health nursing visit and/or nursing training

☐ Patient already trained on subcutaneous infusion

PRESCRIPTION INFORMATION

RX to include diluents, needles, syringes, ancillary supplies, home medical equipment to administer infusion.

Medication	Strength	Dose and Directions	Quantity	Refills
☐ Abrilada®	☐ 40mg/0.8mL Pen ☐ 40mg/0.8mL Syringe	☐ Inject 40mg/0.8mL Pen SQ every week ☐ Inject 40mg/0.8mL Syringe SQ every other week		
☐ Actemra®	☐ 162mg/0.9mL Pen ☐ 162mg/0.9mL PFS	☐ Patients weighing <100kg: Inject 162mg SQ once every other week.		
		☐ Patients weighing ≥100kg: Inject 162mg SQ once every week.		
☐ Amjevita®	☐ 40mg/0.8mL Pen ☐ 40mg/0.8mL Syringe	☐ Inject 40mg/0.8mL SQ every week ☐ Inject 40mg/0.8mL SQ every other week		
☐ Cimzia®	☐ 200mg/mL PFS ☐ 200mg/mL Vial	☐ Loading Dose: Inject 400mg SQ at weeks 0, 2, and 4.		
		☐ Maintenance Dose: Inject 400mg SQ every 4 weeks. ☐ Maintenance Dose: Inject 200mg SQ every 2 weeks.		
☐ Cosentyx®	☐ 150mg/mL PFS ☐ 150mg/mL Pen ☐ 150mg/mL PFS (2 Pack) ☐ 150mg/mL Pen (2 Pack)	☐ Loading Dose: Inject 150mg SQ at weeks 0, 1, 2, 3, and 4. ☐ Loading Dose: Inject 300mg SQ at weeks 0, 1, 2, 3, and 4.		
		☐ Maintenance Dose: Inject 150mg SQ every 4 weeks. ☐ Maintenance Dose: Inject 300mg SQ every 4 weeks.		
☐ Cyltezo®	☐ 40mg/0.8mL Pen ☐ 40mg/0.8mL Syringe	☐ Inject 40mg/0.8mL SQ every week ☐ Inject 40mg/0.8mL SQ every other week		
☐ Other: ____				

Phone : 844-800-5377 Fax : 214-782-9155

RHEUMATOLOGY ORAL/SQ RX ENROLLMENT FORM

Referral Date: | Ship to: ☐ Home ☐ Office ☐ Other ____

PATIENT INFORMATION

Patient Name:	Date of Birth:	Phone:
Address:	City:	State: Zip:
Prescriber Name:	Prescriber Phone	

CLINICAL INFORMATION

Patient Weight: ______ ☐ kg ☐ lbs

Allergies: ____

Current Medications: ____

CrCl: ____ Hepatitis B ruled out: ☐ Yes ☐ No

TB Test performed: ☐ Yes ☐ No Results: ____

Therapy ☐ New ☐ Reauthorization ☐ Restart

Prior Therapy: ____

Tx Response and Dates: ____

☐ Pharmacy to coordinate home health nursing visit and/or nursing training

☐ Patient already trained on subcutaneous infusion

PRESCRIPTION INFORMATION

RX to include diluents, needles, syringes, ancillary supplies, home medical equipment to administer infusion.

Medication	Strength	Dose and Directions	Quantity	Refills
☐ Enbrel®	☐ 25mg/0.5mL PFS ☐ 25mg/0.5mL vial ☐ 50mg/mL PFS ☐ 50mg/mL SureClick Autoinjector	☐ Inject 25mg SQ twice weekly. (72-96 hours apart) ☐ Inject 50mg SQ once a weekly.		
☐ Hadlima®	☐ 40mg/0.4mL Pen ☐ 40mg/0.4mL PFS ☐ 40mg/0.8mL Pen ☐ 40mg/0.8mL PFS	☐ Inject 40mg SQ every week. ☐ Inject 40mg SQ every other week.		
☐ Humira®	☐ 20mg/0.4mL PFS CF ☐ 40mg/0.8mL Pen CF ☐ 40mg/0.8mL PFS CF	☐ Inject 20mg SQ every other week. ☐ Inject 40mg SQ every week. ☐ Inject 40mg SQ every other week.		
☐ Hyrimoz®	☐ 40mg/0.4mL Pen ☐ 40mg/0.4mL Syringe	☐ Inject 40mg SQ every week ☐ Inject 40mg SQ every other week		
☐ Ilaris®	☐ 150mg/mL Injection SDV	☐ Inject ______ mg SQ every ______ weeks. ☐ Inject 4mg/kg SQ every 4 weeks. (300mg/dose maximum)		
☐ Kevzara®	☐ 150mg/1.14mL Pen ☐ 150mg/1.14mL PFS ☐ 200mg/1.14mL Pen ☐ 200mg/1.14mL PFS	☐ Inject 150mg SQ every 2 weeks ☐ Inject 200mg SQ every 2 weeks		
☐ Olumiant®	☐ 1mg Tablet	☐ Take 1mg tablet orally once daily		
	☐ 2mg Tablet	☐ Take 2mg tablet orally once daily as monotherapy or in combination.		
☐ Orencia®	☐ 125mg Pen ☐ 125mg PFS ☐ 250mg vial ☐ Other: ______	☐ Inject 200mg SQ every 2 weeks. ☐ Inject 125mg SQ every 2 weeks.		
☐ Otezia®	☐ Titration Starter Pack for 30mg BID dosage	☐ Five (5) day titration period: Day 1: Take 10mg PO in the morning. Day 2: Take 10mg PO in the morning and 10mg PO in the evening. Day 3: Take 10mg PO in the morning and 20mg PO in the evening. Day 4: Take 20mg PO in the morning and 20mg PO in the evening. Day 5: Take 20mg PO in the morning and 30mg PO in the evening. Day 6 and thereafter: 30 mg PO twice daily.		
	☐ 30mg tablet	☐ Maintenance Dose: 30mg orally twice daily.		

Phone : 844-800-5377 Fax : 214-782-9155

RHEUMATOLOGY ORAL/SQ RX ENROLLMENT FORM

Referral Date: | Ship to: ☐ Home ☐ Office ☐ Other ____________________

PATIENT INFORMATION

Patient Name:	Date of Birth:	Phone:
Address:	City: State:	Zip:
Prescriber Name:	Prescriber Phone	

CLINICAL INFORMATION

Patient Weight: __________ ☐ kg ☐ lbs

Allergies: ____________________

Current Medications: ____________________

CrCl: ____________ Hepatitis B ruled out: ☐ Yes ☐ No

TB Test performed: ☐ Yes ☐ No Results: ____________

Therapy ☐ New ☐ Reauthorization ☐ Restart

Prior Therapy: ____________________

Tx Response and Dates: ____________________

☐ Pharmacy to coordinate home health nursing visit and/or nursing training

☐ Patient already trained on subcutaneous infusion

PRESCRIPTION INFORMATION

RX to include diluents, needles, syringes, ancillary supplies, home medical equipment to administer infusion.

Medication	Strength	Dose and Directions	Quantity	Refills
☐ Rinvoq®	☐ 15mg Oral Tablet	☐ Take one tablet orally once daily with or without food.		
☐ Skyrizi®	☐ 150mg/mL Pen ☐ 150mg/mL PFS	☐ Inject 150mg SQ at Week 0. ☐ Inject 150mg SQ every 12 weeks starting at Week 4.		
☐ Simponi®	☐ 50mg/0.5mL Autoinjector ☐ 50mg/0.5mL PFS ☐ 100mg/0.5mL PFS	☐ Inject 50mg SQ once a month. ☐ Other: ____________________		
☐ Stelara®	☐ 45mg/0.5mg PFS ☐ 50mg/0.5mL PFS ☐ 100mg/0.5mL PFS	☐ Loading Dose: Inject 45mg SQ on Day 1. ☐ Loading Dose: Inject 90mg SQ on Day 1. ☐ Loading Dose: Inject 45mg SQ every 12 weeks. ☐ Loading Dose: Inject 90mg every 12 weeks.		
		☐ Maintenance Dose: Inject 90mg SQ on Day 29 and every 12 weeks after.		
☐ Taltz®	☐ 80mg/mL Pen ☐ 80mg/mL PFS	☐ Loading Dose: Inject 160mg (2 injections of 80mg) once SQ on week 0. ☐ Maintenance Dose: Inject 80mg once SQ every 4 weeks.		
☐ Tremfya®	☐ 100mg/mL PEN ☐ 100mg/mL PFS	☐ Loading Dose: Inject 100mg SQ at Week 0 and Week 4. ☐ Maintenance Dose: Inject 80mg SQ once every 4 weeks (starting at Week 4).		
☐ Xeljanz®	☐ 5mg Tablet	☐ Take one tablet orally once daily. ☐ Take one tablet orally twice daily.		
☐ Xeljanz® XR	☐ 11mg Tablet	☐ Take one tablet orally once daily.		
☐ Yusimry®	☐ 40mg/0.8mL Pen	☐ Inject 40mg SQ every week. ☐ Inject 40mg SQ every other week.		
☐ Yuflyma®	☐ 40mg/0.4mL Pen ☐ 40mg/0.4 Syringe	☐ Inject 40mg SQ every week. ☐ Inject 40mg SQ every other week.		

PRESCRIBER SIGNATURE REQUIRED (STAMP SIGNATURE NOT ALLOWED)

By signing this form and using this pharmacy's services, you are authorizing this pharmacy to serve as your prior authorization designated agent in dealing with prescription and medical insurance companies.

☐ May Substitute/Product Selection Permitted/Substitution Permissible

Prescriber Signature ____________ **Date** ____________

☐ Dispense as Written/Brand Medically Necessary/Do Not Substitute/No Substitution/May Not Substitute

Prescriber Signature ____________ **Date** ____________

CA, MA, NC & PR: Interchange is mandated unless Prescriber writes the words "**No Substitution**" ____________________ **NY & Iowa** providers, please submit electronic prescription.

IMPORTANT NOTICE: This message may contain privileged and confidential information and is intended only for the individual named. If you are not the named addressee, you should not disseminate, distribute or copy this fax. Please notify the sender immediately if you have received this document by mistake, then destroy this document. Please direct all verification or notification to EPSrx or any of its subsidiaries using the contact information provided on this coversheet. This referral form is intended to assist with the processing of the patient's prescription and can be used at any pharmacy of the patient's choosing. It is not limited to the pharmacy listed on the form, nor does it imply that the patient is required to fill their prescription at a specific location. Patients maintain the right to select the pharmacy that best meets their needs. Please refer to TSBP Rule 281.7(15) for further guidance.